



vRush API

Version 0.1

Last Updated : 01 Oct. 2015

vRush API

vRush.ph API is built with our e-commerce sellers in mind. It contains a set of APIs that allow API users to quickly connect to the vRush platform quickly and transparently. vRush API calls are communicated using JSON format.

Start Using vRush API (Generating an API Key)

An API key is a unique code for your account to connect to the vRush platform. It is required upon request for authentication and to start API call sessions.

To Generate your API key

- Login to your dashboard > My Profile > API Key to create your API key.

An example of an API key generated will look like this : 1aswe2sde3cas3 (14 digits)

API Session Authentication (Requesting for API Call Session Tokens)

Authentication is always required when you start an API call.

Authorize will generate an API session Token. This will always be passed along when API calls are made.

URL :: <https://vrush.ph/api/authorize>

```
POST :: { api_key : "YOUR API KEY",  
         acc_num:"YOUR Account Number"  
       }
```

RESULT ::

```
Success :: {"result":"Success", "log":"Valid User", "status":111, "token":"Your  
Token" }
```

Wrong User ::

```
 {"result":"Failed", "log":"Invalid User", "status":8}
```

Order Pickup (Pay using Prepaid)

Order_pickup_prepaid lets you create orders in the vRush platform using your available prepaid credit.

* Successful orders only happen when you have enough prepaid credit.

API LINK :

https://vrush.ph/api/order_pickup_prepaid

POST DATA:

token,acc_num , delivery_name , delivery_address , delivery_contact , delivery_village , delivery_city ,
delivery_postcode , courier_type , cod , cod_amount

P.S : all post data are mandatory

RESULT:

log_description , error_description , order_id , order_status , order_date , order_time , courier_charges ,
handling_charges , total_amount , total_discounts , total_credits , total_due

POST Data	Description
token	Your Session Token(30 minutes)
acc_num	Account Number Of The User (ju6s5a)
delivery_name	Delivery Name (String)
delivery_address	Delivery address (String)
delivery_contact	Delivery contact (Mobile -Number)
delivery_village	Delivery village (String)
delivery_city	Delivery city (String)
delivery_postcode	Delivery postcode (Postcode -Number)
courier_type	Courier Type (Number eg: 13,14,15,16)
cod	COD or not (Number eg: 0 or 1)
cod_amount	COD Amount (Number eg: 0- 6000)

Courier Type

Value	Description
13	Document Same Day
14	Document Next Day
15	Non-Document Same Day
16	Non-Document Next Day

Result Data	Description
log_description	Description Of The Results
error_description	Error Description
order_id	Order Id
order_status	Status
order_date	Date
order_time	Time
courier_charges	Charge Yielded For Package
handling_charges	Handling Charge for COD
total_amount	Total Amount
total_discounts	Discount Aailed
total_credits	Credits Used
total_due	Due To Pay To Driver

Eg 1 : (For Success)

```

POSTDATA
{
token:"YOUR SESSION TOKEN",
acc_num:"YOUR ACCOUNT NUMBER",
delivery_name:"Dominic Cliff",
delivery_address:"123 Happy St",
delivery_contact:"Mr Brown",
delivery_village:"Village X",
delivery_city:"Makati",
delivery_postcode:"2345",
courier_type:"14",
cod: "0",
cod_amount: "5000"
}

```

```

RESULT
{
"log_description": "Order Success - Order Has Successfully Submitted and Invoice Mailed",
"error_description": "Order Has Successfully Submitted and Invoice Mailed",
"order_id": "c4fad1",
"order_status": "1",
"order_date": "2015-09-22",
"order_time": "19:54:32",
"courier_charges": "75",
"handling_charges": "0",
"total_amount": "75",
"total_discounts": "15",
"total_credits": "60",
"total_due": "0"
}

```

Eg 2 : (For No Credits)

```

POSTDATA

```

```

{
  token:"YOUR SESSION TOKEN",
  acc_num:"YOUR ACCOUNT NUMBER",
  delivery_name:"Dominic Cliff",
  delivery_address:"123 Happy St",
  delivery_contact:"Mr Brown",
  delivery_village:"Village X",
  delivery_city:"Makati",
  delivery_postcode:"2345",
  courier_type:"14",
  cod: "0",
  cod_amount: "5000"
}

RESULT
{
  "log_description":"Order Failed - No Enough Prepaid Credits",
  "error_description":"No Enough Prepaid Credits For The Order price :60",
  "order_id":"",
  "order_status":"",
  "order_date":"",
  "order_time":"",
  "courier_charges":"",
  "handling_charges":"",
  "total_amount":"",
  "total_discounts":"",
  "total_credits":"",
  "total_due":""
}

```

Eg 3 : (If CutOff Time Exceeded [after 2pm])

```

POSTDATA
{
  token:"YOUR SESSION TOKEN",
  acc_num:"YOUR ACCOUNT NUMBER",
  delivery_name:"Dominic Cliff",
  delivery_address:"123 Happy St",
  delivery_contact:"Mr Brown",
  delivery_village:"Village X",
  delivery_city:"Makati",
  delivery_postcode:"2345",
  courier_type:"13",
  cod: "0",

  cod_amount: "5000"
}

RESULT
{
  "log_description":"Order Failed - Validation Failed",
  "error_description":"- Cut Off Time Exceed,For Same Day Order Before 2PM -",
  "order_id":"",
  "order_status":"",
  "order_date":"",
  "order_time":"",
  "courier_charges":"",
  "handling_charges":"",
  "total_amount":"",
  "total_discounts":"",

```

```
"total_credits":"","  
"total_due":"","  
}
```

Order Pickup (Pay using Cash Pickup)

Order_pickup_cashpay lets you create orders in the vRush platform using a cash order.

API LINK :

https://vrush.ph/api/order_pickup_cashpay

POST DATA:

token,acc_num , delivery_name , delivery_address , delivery_contact , delivery_village ,
delivery_city , delivery_postcode , courier_type , cod , cod_amount

P.S : all post data are mandatory

RESULT:

log_description , error_description , order_id , order_status , order_date ,
order_time , courier_charges , handling_charges , total_amount , total_discounts ,
total_credits , total_due

POST Data	Description
token	Your Session Token 30 mins
acc_num	Account Number Of The User (ju6s5a)
delivery_name	Delivery Name (String)
delivery_address	Delivery address (String)
delivery_contact	Delivery contact (Mobile -Number)
delivery_village	Delivery village (String)
delivery_city	Delivery city (String)
delivery_postcode	Delivery postcode (Postcode -Number)
courier_type	Courier Type (Number eg: 13,14,15,16)
cod	COD or not (Number eg: 0 or 1)
cod_amount	COD Amount (Number eg: 0- 6000)

Courier Type

Value	Description
13	Document Same Day
14	Document Next Day
15	Non-Document Same Day
16	Non-Document Next Day

Result Data	Description
-------------	-------------

log_description	Description Of The Results
error_description	Error Description
order_id	Order Id
order_status	Status
order_date	Date
order_time	Time
courier_charges	Charge Yielded For Package
handling_charges	Handling Charge for COD
total_amount	Total Amount
total_discounts	Discount Availed
total_credits	Credits Used
total_due	Due To Pay To Driver

Eg 1 : (For Success)

POSTDATA

```
{
  token:"YOUR SESSION TOKEN",
  acc_num:"YOUR ACCOUNT NUMBER",
  delivery_name:"Dominic Cliff",
  delivery_address:"123 Happy St",
  delivery_contact:"Mr Brown",
  delivery_village:"Village X",
  delivery_city:"Makati",
  delivery_postcode:"2345",
  courier_type:"14",
  cod: "0",

  cod_amount: "5000"
}
```

JSON RESULT

```
{
  "log_description":"Order Success - Order Has Successfully Submitted and Invoice Mailed",
  "error_description":"Order Has Successfully Submitted and Invoice Mailed",
  "order_id":"2e4c23",
  "order_status":"1",
  "order_date":"2015-09-28",
  "order_time":"18:56:25",
  "courier_charges":"75",
  "handling_charges":"0",
  "total_amount":"75",
  "total_discounts":"15",
  "total_credits":"0",
  "total_due":"60"
}
```

Eg 2 : (For Validations Failed)

```
POSTDATA
{

token:"YOUR SESSION TOKEN",
acc_num:"YOUR ACCOUNT NUMBER",
delivery_name:"",
delivery_address:"",
delivery_contact:"Mr Brown",
delivery_village:"Village X",
delivery_city:"Makati",
delivery_postcode:"2345",
courier_type:"14",
cod: "0",

cod_amount: "5000"

}

RESULT
{

"log_description":"Order Failed - Validation Failed",
"error_description":"",
"order_id":"",
"order_status":"",
"order_date":"",
"order_time":"",
"courier_charges":"",
"handling_charges":"",
"total_amount":"",
"total_discounts":"",
"total_credits":"",
"total_due":""

}
```

Eg 3 : (If CutOff Time Exceeded [after 2pm])

```
POSTDATA
{

token:"YOUR SESSION TOKEN",
acc_num:"YOUR ACCOUNT NUMBER",
delivery_name:"Dominic Cliff",
delivery_address:"123 Happy St",
delivery_contact:"Mr Brown",
delivery_village:"Village X",
delivery_city:"Makati",
delivery_postcode:"2345",
courier_type:"13",
cod: "0",

cod_amount: "5000"

}

RESULT
{

"log_description":"Order Failed - Validation Failed",
"error_description":"- Cut Off Time Exceed,For Same Day Order Before 2PM -",
"order_id":"",
```



```
"order_status":"","  
"order_date":"","  
"order_time":"","  
"courier_charges":"","  
"handling_charges":"","  
"total_amount":"","  
"total_discounts":"","  
"total_credits":"","  
"total_due":""  
}
```

Order Status (Query Order Status)

Query_order_status lets you request the status of an order.

API LINK :

https://vrush.ph/api/query_order_status

POST DATAS:

token,order_id

P.S : all post datas are mandatory

RESULT:

log_description , error_description , order_id , order_status , last_update_datetime

Eg 1 : (For Success)

POSTDATA

```
{  
token:"YOUR SESSION TOKEN",  
order_id: "your order id"
```

```
}
```

JSON RESULT

```
{  
  
"log_description":"Order Status Successful",  
  
"error_description":"No Errors",  
  
"order_id":"60b3b9",  
  
"order_status":"Ordered",  
  
"last_update_datetime":"01 Oct 2015 16:30 PM"  
  
}
```

